

**KOHLER**<sup>®</sup>

**KOHLER NEW ZEALAND LIMITED**  
 133 DIANA DRIVE, GLENFIELD AUCKLAND 0627  
 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND  
 PHONE +64 9 980 6800

# Kohler Freestanding Baths

## BPIR Declaration

Version: A (12/23)

---

### Designated building product: Class 1

### Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

### Product/system

<b>Name</b>	Kohler Freestanding Baths
<b>Identifier</b>	Evok D-Shape / Evok 2.0 / Veil

### Description

Freestanding baths intended for personal bathing in residential & commercial applications.

The Evok D-Shape & Evok 2.0 freestanding baths are manufactured in vacuum formed white Sanitary Grade Acrylic, fully reinforced with fibreglass & a fully encapsulated particle board base. Sanitary Grade Acrylic features a high gloss surface for ease of cleaning.

The Veil freestanding bath is manufactured in Lithocast mineral-filled polyester resin composite with a gloss finish.

All Kohler freestanding baths feature overflows & are supplied with a compatible DN40 waste.

Rectangular sizes: 1500x750, 1700x750, 1700x800, 1800x900

Oval sizes: 1500x750, 1700x800

All sizes are nominal & specific availability varies according to the chosen range (identifier).

---

### Scope of use

For interior installations in residential & commercial buildings.

The Evok D-Shape freestanding bath must be installed to one wall. An optional aluminium upstand is available for one side. Evok 2.0 & Veil freestanding baths must be installed away from adjacent walls.

Kohler Freestanding Baths cannot be installed as shower-over-baths (please refer to specific Englefield shower-over-bath products for this purpose).

The baths have integrated overflows & the waste / drain holes are located centrally or to one end. A compatible DN40 waste is supplied.

Hot water must be supplied to this sanitary fixture via adjacent tapware.

---

## Conditions of use

The bath must be installed in accordance with our supplied instructions & the relevant requirements of AS/NZS 3500. Ensure that the floor is constructed to support the weight of the bath, full water capacity & the user(s).

The tapware & waste must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

---

## Relevant building code clauses

**B2 Durability** — B2.3.1 (c)

**F2 Hazardous building materials** — F2.3.1

**G1 Personal Hygiene** — G1.3.2

**G12 Water Supplies** — G12.3.2

---

## Contributions to compliance

**B2.3.1(c):** Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, the Kohler Freestanding Baths have a durability of at least 5 years, when installed and maintained in accordance with our supplied instructions. Kohler Freestanding Baths are designed & manufactured to AS/NZS 2023: 1995 (Baths for ablutionary purposes).

**E3/AS1 3.2.2:** Where the Kohler Evok D-Shape Freestanding Bath abuts impervious wall linings (refer Scope of Use), the joint between fixture and lining shall be sealed to prevent water penetration to concealed spaces or behind linings. To facilitate ease of sealing in these cases, an optional 40mm high continuous aluminium upstand is available for one side for the Evok D-Shape freestanding bath.

**F2.3.1:** No materials used in the construction of Kohler Freestanding Baths give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

**G1.3.2:** The Sanitary Grade Acrylic & Lithocast mineral-filled polyester resin composite used feature a gloss surface for ease of cleaning.

- G1/AS1 2.6.1:** Kohler Freestanding Baths are designed & manufactured to AS/NZS 2023: 1995 (Baths for ablutionary purposes).
- G12.3.5:** Kohler Freestanding Baths must be provided with hot water to satisfy the intended usage of personal bathing (note - tapware not included).

## Supporting documentation

The following additional documentation supports the above statements:

<b>Installation instructions - Bath</b>	Refer website.
<b>Installation instructions – Bath with optional aluminium upstand</b>	Refer website.
<b>Warranty statement</b>	<a href="#">1173921-A</a>
<b>Care &amp; maintenance guide</b>	<a href="#">Homeowners Care Guide</a>

For further information supporting Kohler Freestanding Baths claims refer to our website.

## Contact details

<b>Manufacture location</b>	China, Thailand
<b>Manufacturer name(s)</b>	Shanghai Kohler Co. Ltd., Kohler (Thailand) Public Co., Ltd. & Kohler approved manufacturer
<b>Legal and trading name of importer</b>	Kohler New Zealand Limited
<b>Importer address for service</b>	133 Diana Drive Auckland 0627
<b>Importer website(s)</b>	<a href="http://kohler.co.nz">kohler.co.nz</a>
<b>Importer email</b>	customerservicesnz@kohler.com
<b>Importer phone number</b>	099806800
<b>Importer NZBN</b>	9429037167615