

Englefield

KOHLER NEW ZEALAND LIMITED 133 DIANA DRIVE, GLENFIELD AUCKLAND 0627 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND PHONE +64 9 980 6800

Kohler Basins BPIR Declaration

Version: A (12/23)

Designated building product: Class 1

Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name Kohler Basins

IdentifierCountertop: Chalice / Modern Life / Mica / Petaline / Carillon / Veil / ChaliceSleek / Dutchmaster / Briolette / Derring / Lavinia

Semi-Recessed: Chalice Sleek / Forefront

Under-Counter: Verticyl / Ladena / Brazn / Kallos / Kathryn

Wall Hung: Reach / Forefront / Modern Life

Description

Kohler basins are intended for use for personal sanitation in residential & commercial buildings.

Material:

<u>Ceramic:</u> Chalice / Modern Life / Mica / Carillon / Veil / Chalice Sleek / Dutchmaster / Derring / Forefront / Verticyl / Ladena / Brazn / Kathryn Reach / Forefront / Modern Life

Glass: Lavinia / Kallos

Enameled Cast Iron: Petaline

All basins feature an integrated overflow with the exception of Mica / Petaline / Chalice Sleek / Dutchmaster / Briolette / Derring / Kallos / Kathryn / Lavinia.

Installation Types:

<u>Countertop</u> (without tap holes, unless noted): Chalice / Modern Life (versions available with & without tap hole) / Mica / Petaline / Carillon / Veil / Chalice Sleek (without tap hole) / Forefront (versions available with & without tap hole) / Dutchmaster / Briolette / Derring / Lavinia

Semi-Recessed (with tap holes): Chalice Sleek / Forefront

Under-Counter (without tap holes): Verticyl / Ladena / Brazn / Kallos / Kathryn

Wall Hung (with tap holes): Reach / Forefront / Modern Life

Refer to website to sizing for specific models.

All basins feature a glazed ceramic, glass, or enamel finish for ease of cleaning.

Scope of use

For interior installations in residential & commercial buildings.

Waste / drain holes are located either centrally or at one end of the basin & are compatible with standard DN32 waste outlets. For the noted basins that do not have an integrated overflow, consider other options in overall bathroom design to contribute to E3 Internal moisture compliance.

Hot water must be supplied to this sanitary fixture via adjacent tapware.

Conditions of use

The basin must be installed in accordance with our supplied instructions.

The tapware & waste must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2

Contributions to compliance

B2.3.1(c): Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Kohler Basins have a durability of at least 5 years,

	when	installed	and	maintained	in	accordance	with	our	supplied
instructions.									

- **F2.3.1:** No materials used in the construction of Kohler Basins give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.
- **G1/AS1 2.6.1:** Kohler Basins comply with the relevant requirements of AS/NZS 1730 (Washbasins).
- **G12.3.5:** Kohler Basins must be provided with hot water to satisfy the intended usage of personal washing (note tapware not included).

Supporting documentation

The following additional documentation supports the above statements:

Installation instructions	Refer website.
Warranty statement	<u>1173921-A</u>
Care & maintenance guide	Homeowners Care Guide

For further information supporting Kohler Basins claims refer to our website.

Contact details

Manufacture location	China, Thailand, USA			
Manufacturer name(s)	Foshan Kohler Ltd. Zibo Kohler Ltd. Kohler (Thailand) Public Co., Ltd. Kohler Co.			
Legal and trading name of importer	Kohler New Zealand Limited			
Importer address for service	133 Diana Drive Auckland 0627			
Importer website(s)	kohler.co.nz			
Importer email	customerservicesnz@kohler.com			
Importer phone number	099806800			
Importer NZBN	9429037167615			