

**KOHLER**<sup>®</sup>

**KOHLER NEW ZEALAND LIMITED**  
 133 DIANA DRIVE, GLENFIELD AUCKLAND 0627  
 PO BOX 100-146 N.S.M.C AUCKLAND NEW ZEALAND  
 PHONE +64 9 980 6800

# Kohler Wall Mount Basin Mixers

## BPIR Declaration

Version: A (12/23)

---

### Designated building product: Class 1

---

### Declaration

Kohler New Zealand Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

---

### Product/system

<b>Name</b>	Kohler Wall Mount Basin Mixers
<b>Identifier</b>	Single Lever: Accliv / Avid / Taut / Aleo / July Dual Control: Components / Purist

### Description

The Kohler basin mixers are wall mounted taps, manufactured from DZR brass complying with AS 2345.

For the Single Lever models, the flow rate & mixed temperature is controlled by a lift-&-turn ceramic disc cartridge. For Dual Control models, the hot & cold flow rates & mixed temperature are controlled by individual ¼ turn ceramic disc cartridges.

The WELS rating for all models is 5 star / 6 litres/min, except for Accliv which has a WELS rating of 5 star / 5 litres/min.

They are intended for use in residential & commercial applications, with mains pressure water supply systems.

All models are available in chrome finish. Selected models are available in brushed nickel & matt black.

All models have indicators which show the relative temperature range.

---

## Scope of use

The Kohler wall mounted basin mixers are intended for use with hot & cold water in residential & commercial applications, with mains pressure water supply systems.

All models are wall mounted & have G 1/2" inlets that are compatible with GB 1/2" metallic supply fittings.

---

## Conditions of use

Kohler wall mount basin mixers must be installed by a registered plumber in accordance with the supplied instructions & in compliance with the relevant requirements of AS/NZS 3500 & AS/NZS 6400.

The water supply pipes must be flushed thoroughly to remove any debris. In-line water filters must be used.

Recommended working pressure: 100kPa to 500kPa.

Maximum working pressure: 800kPa.

If pressure exceeds 500kPa, a pressure limiting valve must be installed.

The maximum permitted temperature of water at the outlet is 50 degrees Celsius.

This product is cleanable and impervious to moisture — cleaning shall be done in accordance with the supplied cleaning instructions.

---

## Relevant building code clauses

**B2 Durability** — B2.3.1 (c)

**F2 Hazardous building materials** — F2.3.1

**G1 Personal Hygiene** — G1.3.2

**G12 Water Supplies** — G12.3.2, G12.3.5

---

## Contributions to compliance

**B2.3.1(c):** Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Kohler wall mount basin mixers have a durability of at least 5 years, when installed and maintained in accordance with our supplied instructions. Kohler wall mount basin mixers are designed & manufactured to AS/NZS 3718 (Water supply—Tap ware) & are Watermark certified to this standard under Licence no. WM-022148.

**F2.3.1:** No materials used in the construction of Kohler Wall Mount Basin Mixers give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

- G1.3.2:** Kohler Wall Mount Basin Mixers features chrome, brushed nickel or matt black finished surfaces for ease of cleaning.
- G12/AS1 2.1.2:** Metallic or non-metallic water supply materials and components used in Kohler Wall Mount Basin Mixers comply with AS/NZS 4020 (Testing of products for use in contact with drinking water).

## Supporting documentation

The following additional documentation supports the above statements:

<b>Installation Instructions</b>	Refer website.
<b>Warranty statement(s)</b>	<a href="#">1173921-A</a>
<b>Care &amp; maintenance guide</b>	<a href="#">Homeowners Care Guide</a>

For further information supporting Kohler Wall Mount Basin Mixers claims refer to our website.

## Contact details

<b>Manufacture location</b>	China
<b>Manufacturer</b>	Beijing Kohler Ltd. Nanchang Kohler Ltd.
<b>Legal and trading name of importer</b>	Kohler New Zealand Limited
<b>Importer address for service</b>	133 Diana Drive Auckland 0627
<b>Manufacturer/importer website(s)</b>	<a href="http://kohler.co.nz">kohler.co.nz</a>
<b>Manufacturer/importer email</b>	customerservicesnz@kohler.com
<b>Manufacturer/importer phone number</b>	099806800
<b>Manufacturer/importer NZBN</b>	9429037167615